## BLAST CHILLER / FREEZER AT-7 1/1 PW

7 x GN 1/1 / EN 600 x 400 (distance between trays: 70 mm).





## SALES DESCRIPTION

## Output:

√ Chilling: 26 kg / 90'.

Deep-freezing: 18 kg / 240'.

Quick chilling helps to maintain the quality of food, preserving the nutrients and improving the efficiency of cooking processes.

## A wide range of applications

√ Frozen pizzas, fresh pasta, confectionery, gastronomy, ice creams, desserts, baked goods, etc.

## One piece of equipment, several functions

- Quick chilling to +3°C which inhibits bacterial proliferation, prevents food dehydration due to evaporation and makes it possible to preserve the original properties of food for five to seven days.
- Deep-freezing to a core temperature of -18°C in less than four hours, avoiding the formation of macrocrystals, an essential requisite if - at the time of use - unfrozen food is to keep its original consistency and quality.
- ✓ Automatic preservation at the maintenance temperature programmed after each operation.

## Robust, hygienic and reliable construction

- Manufactured in stainless steel with hygienic cathodic protection and easy to clean.
- ✓ Insulation with expanded polyurethane foam in water free of CFC's and HFC's.
- High-power compressors for quick chilling.
- ✓ Indirect air flow.
- ✓ Built-in motor.
- √ R290 refrigerant with a low GWP content.
- Evaporators treated with cataphoresis to reduce odours and moulds, favouring performance and durability over time.

## Advanced control panel

- Cycles per temperature, time or core probe.
- √ HARD function for rapid cooling, SOFT for deep-freezing.
- ✓ Data storage at the end of the cycle.
- Manual air defrosting.
- Possibility of customising and saving cycles and settings.
- ✓ HACCP functions for storing alarms.
- Wifi connectivity for maximum process control through the free EVConnect app.

## Special cycles

- √ Pre-cooling.
- Sanitation of raw fish.
- ✓ Ice cream hardening.
- Other optional cycles: defrosting, internal sterilisation, cooling by core probe.

## **NCLUDES**

✓ Core probe.

√ Wifi connectivity.

## **SPECIFICATIONS**

Recipient capacity (GN) 1/1: 7 Space between trays: 70 mm

Chilling capacity: 90°C a 3°C / 90' / 26 kg

Deep freezing capacity: 90°C a -18°C / 240' / 18 kg

Consumption: 1200 W

Internal dimensions: 700 mm x 455 mm x 622 mm (Interior volu-

me: 0.198 l)

## External dimensions (W x D x H)

√ Width: 820 mm ✓ Depth: 738 mm

✓ Height: 1142 mm Net weight: 140 kg

Crated dimensions 850 x 770 x 1450 mm Gross weight: 150 kg





# FOOD PRESERVATION AND SOUS-VIDI

# updated 30/06/2025 product sheet




# **BLAST CHILLER / FREEZER AT-7 1/1 PW**

7 x GN 1/1 / EN 600 x 400 (distance between trays: 70 mm).

# **AVAILABLE MODELS**

5170188 Blast chiller / freezer AT-7PW 1/1 230/50/1

\* Ask for special versions availability



sammic

Food Service Equipment Manufacturer Unit 2, Trevanth Road Troon Industrial Park LE4 9LS - Leicester

uksales@sammic.com Tel.: +44 0116 246 1900



Project Da	ate
Item Qt	ty

Approved

460	l Tojeet	Date
	Item	Qty
7100		