### BLAST CHILLER / FREEZER AT-12-2/70 PW

12 x GN 2/1 (distance between trays: 70 mm).





### SALES DESCRIPTION

### Output:

√ Chilling: 70 kg / 90'.

Deep-freezing: 50 kg / 240'.

Quick chilling helps to maintain the quality of food, preserving the nutrients and improving the efficiency of cooking processes.

### A wide range of applications

√ Frozen pizzas, fresh pasta, confectionery, gastronomy, ice creams, desserts, baked goods, etc.

### One piece of equipment, several functions

- Quick chilling to +3°C which inhibits bacterial proliferation, prevents food dehydration due to evaporation and makes it possible to preserve the original properties of food for five to seven days.
- Deep-freezing to a core temperature of -18°C in less than four hours, avoiding the formation of macrocrystals, an essential requisite if - at the time of use - unfrozen food is to keep its original consistency and quality.
- ✓ Automatic preservation at the maintenance temperature programmed after each operation.

### Robust, hygienic and reliable construction

- Manufactured in stainless steel with hygienic cathodic protection and easy to clean.
- ✓ Insulation with expanded polyurethane foam in water free of CFC's and HFC's.
- High-power compressors for quick chilling.
- ✓ Indirect air flow.
- ✓ Built-in motor.
- √ R290 refrigerant with a low GWP content.
- Evaporators treated with cataphoresis to reduce odours and moulds, favouring performance and durability over time.

### Advanced control panel

- Cycles per temperature, time or core probe.
- √ HARD function for rapid cooling, SOFT for deep-freezing.
- ✓ Data storage at the end of the cycle.
- Manual air defrosting.
- Possibility of customising and saving cycles and settings.
- ✓ HACCP functions for storing alarms.
- Wifi connectivity for maximum process control through the free EVConnect app.

### Special cycles

- √ Pre-cooling.
- Sanitation of raw fish.
- ✓ Ice cream hardening.
- Other optional cycles: defrosting, internal sterilisation, cooling by core probe.

### **NCLUDES**

✓ Core probe.

√ Wifi connectivity.

### **SPECIFICATIONS**

Space between trays: 70 mm

Chilling capacity: 90°C a 3°C / 90' / 70 kg

Deep freezing capacity: 90°C a -18°C / 240' / 50 kg

Consumption: 2400 W

Internal dimensions: 700 mm x 554 mm x 970 mm (Interior volu-

me: 0.376 l)

### External dimensions (W x D x H)

√ Width: 820 mm ✓ Depth: 859 mm

✓ Height: 1709 mm Net weight: 210 kg Crated dimensions

850 x 880 x 1800 mm Gross weight: 220 kg



# OD PRESERVATION AND SOUS-VID

## updated **30/06/2025**



## **BLAST CHILLER / FREEZER AT-12-2/70 PW**

12 x GN 2/1 (distance between trays: 70 mm).

## **AVAILABLE MODELS**

5142177 Blast chiller / freezer AT-12-2/70 PW 220/60/3

5142178 Blast chiller / freezer AT-12-2/70 PW 400/50-60/3N

\* Ask for special versions availability



Polígono Basarte, 1. 20720 Azkoitia, Spain phone +34 943 15 72 36 sales@sammic.com



Item Oty	Project	Date
ttom Qty	Item	Qty

Approved

$\sim$ 0 $\sim$
<u> </u>
<b>–</b> 4
9 9
$\sim$